

# HENSLEY FEED TRANSPORTATION EQUIPMENT



CELEBRATING

**5**



*Years!*

**1962 - 2012**

# BULK FEED TRANSPORT

CELEBRATING

5

**HENSLEY**  
Transportation Equipment



*Years!*



## HALF MOON PADDLE DRAG CONVEYOR

This system is designed for "total" clean-out in the trailer as-well-as having the ability to haul heavy pre-mixes and minerals.




## FRONT UNLOAD-9-12-9 OR 12-15-12

Front Unload trailers allow the driver to operate the augers with either an in-cab or wireless remote in full view of the truck window for easy auger placement.




## SUPER AUGER SYSTEM-12-15-12

A Hensley Original, and our most popular auger system! Our Super Auger System can unload most feeds in 7-12 minutes!



## SUPER AUGER-HORIZONTAL GATES

Our popular gate style with a Super Auger system. Specifically designed for sticky, bulky, hard-flowing materials. Allows the feed to flow without "bridging" inside the compartment.



## B-TRAIN CONFIGURATIONS

B-Train or "Super B" trailers give the ability to haul over 40 metric tonnes in the western prairies of Canada. Available in 9-12-9 and 12-15-12 "Super Auger" Systems.

# RATION EQUIPMENT

*50 Years*  
**1962 - 2012**



## 9 - 12 - 9 AUGER-V GATES

Our Most Popular gate system! The Inverted "V" Rack & Pinion Gates operate with a manual handle, and is perfect for unloading hog, broiler, layer and turkey rations.



## AUGER/PNEUMATIC UNLOAD

Allows the flexibility to unload in easy-to-reach bins with an auger and the not-so-easy-to-reach bins with a pneumatic system.



## 9 - 12 - 9 - HORIZONTAL GATES

Designed for sticky, bulky, hard-flowing materials. Allows the feed to flow without "bridging" inside the compartment.



## PNEUMATIC UNLOAD

Gives the operator the ability to unload feed into places that cannot be reached with an auger system using 4" flex hoses.

# SPECIFICATIONS

## TRAILERS

Lengths • 26' - 50' (Tank Length)  
Capacities (Cu.Ft./Ft.) • 36,39,43,44,48,50,54  
Unloading Rates (Lbs./Min.) • 3,000 - 8,000

## STRAIGHT TRUCKS

Lengths • 6' - 28' (Tank Length)  
Capacities (Cu.Ft./Ft.) • 36,39,43,44,48,50,54  
Unloading Rates (Lbs./Min.) • 3,000 - 8,000

## COMPONENTS

Hendrickson INTRAXX Air Ride Suspensions  
Truck-Lite Solid Wire Loom With Wiring Diagram  
Split Woodblock Bearings In Floor & Discharge  
Machine Welded Seams  
Parker Direct Drive Hydraulic Motors  
Hydraulic Tubing In Lieu Of Black Pipe  
Sloped Helicoid Auger Flighting  
American Made Wireless Control Systems  
Holland Mark V Dollies



**Home Of The ORIGINAL Super Auger  
Since 2007**



## Hensley Fabricating & Equipment Co., Inc.

17624 State Road 331 North  
Tippecanoe, Indiana 46570

Toll Free - 877.498.6514

Phone - 574.498.6514

Fax - 574.498.6525

E-mail - [info@hensleyfab.com](mailto:info@hensleyfab.com)

Web - [www.hensleyfab.com](http://www.hensleyfab.com)



SCAN TO VISIT  
OUR WEBSITE



PROUDLY MADE IN AMERICA